INSPITAL



▼

Operating Table OT80.25

INSPITAL

Feature



Functional Design & Wide Range of Accessory Ontions

- Modular design taking shape by different surgical operations with high stability
- Solutions ensuring to reach the position required by any kind of surgical operations with its wide range of accessory options



Optimal Clearance In Surgical Area

Maximum surgical area visibility with its kidney elevator, integrated on the table and adjustable up to1500(70 mm)



T-Base Specifications

- T-Base enables table optimal approach for the surgical team and equipment
- ABS Material with break and corrosion resistance
 Subbase is made of ABS plastic material. We
- Subbase is made of ABS plastic material. Wall thickness is 5 mm.



Different Mattress Options

- Compact material table top with high X-ray permeability that allows high-quality image reception
- Visco or polyurethane mattress options that ensure the patient's comfort by taking its body shape, thus preventing decubitus prophylaxis




Sliding

 Image reception ability in a wide area without disturbing the sterile environment by its sliding feature within 300 mm on horizontal plane



Easy Approach for C-Arm

- Complete access to all table areas and its X-ray permeable table top allow high image quality
- Suitable base structure for easy access and approach of the C-arm scopy and surgical microscopes



Optimum Mattress Performance

 Inspital operating table mattresses are designed and manufactured according to the Pressure Mapping test results.



Accessory Positioning

 Stainless steel rail attachment system integrated on both sides of the table, enabling accessory mounting without removing existing accessories

TECHNICAL FEATURES

· Reverse Trendelenburg

Sliding Movement : 300 mm
 Lateral Tilt Movement : + 20° / - 20°
 Back Rest Movement : + 80° / - 45°
 Trendelenburg : + 30°

• Leg Rest Up / Down : + 30° / - 80° • Head Rest Movement : + 30° / - 90°

: - 30°

• Flex / Reflex Position : + 225° / - 100°

Width x Length : 560x2200 mm
 Height (min) : 595 mm

Height (max) : 1035 mm Mattress Thickness : 70 mm

Castors Diameter : Ø 125 mm
 Max Patient Weight : 360 kg / 800 lbs.

Kidney Surgery Position
 Visco mattress
 Optional, OT80.25

*Max. & Min. heights are measured without mattress

Voltage : 220-240V AC 50/60Hz

Working Voltage : 24 VDC


• Fuse Type : 2 x 1,25A Glass Fuse • Battery Duration : 30 Full Movement

Battery typeBattery Charge Time2 x 12 V9 Hour

• Classification : Class I (MDD 93/42 EEC)

• Standards : TS EN60601-2-46 ve MDD/93/42/EEC


Electro-hydraulic




Height/Up-Down




Reverse Trendelenburg






Lateral Tilt



Manual



Leg Rests, Up / Down



Head Rest



Operating Table OT80.25

INSPITAL

Accesoris Operatring Table



OT60.90 Orthopedic Traction Set



OT60.82 Cross Bar Adapter



OT60.80 SET Neurosurgery Head Rest with Pin & Horseshoe Hea Rest



OT60.76 Arthroscopy Shoulder Support



OT60.77 Leg Positioning Boot



OT60.01 Arm Support, Single



OT60.03 Anaesthesia Screen, Fixed Size



OT60.07 Body Fixing Strap



OT60.05 IV Stand, 2 hooks



OT60 06 IV Stand 4 hooks



OT60.04 Anaeshtsia Screen, Adjustable



OT60.71 Patient Heating



OT60.08 Geopel Leg Rest



OT60.11 Irrigation Bowl, Rectangle Form



OT60.12 Irrigat. Bowl With Drainage, Rectangle Form



OT60.14 Waste Bin



OT60.13 Irriga. Bowl With



OT60.17 Clamp, Rotatable & Adjustable Jaw



OT60.18 Clamp, Rotatable



OT60.15 Clamp, Easy Fix



OT60.16 Clamp



OT60.09 Shoulder Support







OT60.20 Proctology Set



OT60.21 Ophtalmologic Head



Traction Set



OT60.23 Leg Strap



OT60.24 Meniscus Positioning Roll



OT60.72 Knee Arthroscopy Support



OT60.73 Carbonfiber Extension Board



OT60.25 Sliding Handles



OT60.26 Arm Surgery Extension



OT60.29 Support for Hand Control Unit



OT60.30 X-Ray Cassette Support



OT60.31 X-Ray Cassette Tray



OT60.33 Orthopedic Traction Set



OT60.32 Accessory Trolley




BS10.20 Step, Double




BS10.10 Step, Single



OT60.61 Wilson Frame Set



OT60.52 Gel Mattress, Adult OT60.63 for Pediatric




OT60.51 for Pediatric



OT60.40 Head Rest, PU, Adult



OT60.54 Arm Rest. Gel



Gel, Adult OT60.53 for Pediatric




OT60.41 Horseshoe Head Rest, PU, Adult




OT60.57 Prone Head Support,




OT60.55 Chest Roll, Gel, Adult



OT60.42 Chest Roll, PU



OT60.59 Heel Support, Gel



OT60.58 Foot Wrist Support,



OT60.60 Lateral Positioner, Gel

Operating Table OT80.25

INSPITAL



Left Lateral Tilt Position



Struma Surgery Position



Reflex Position



Flex Position



Chest (Breast) Surgery Position Chest Surgery Position





Gynecologic Surgery Position



Spinal Surgery Position



Meniscus Surgery Position



Ophthalmology Position



Urologic Surgery Position



Orth.Fracture Surgery Position









Rest Designed for use in neurosurgery

Neurosurgery Head Rest with Pin & Horseshoe Head

- ◆ Extremely durable and rigid construction from aluminum alloy
- ♦ 3 pcs fixing system with pins & completely adjust. skull clamps
- Adjustment mechanism from 4 different points
- Easily mountable horse shoe head rest accessory A.C: OT60.80 SET







INSPITAL INSPITAL Medical Technology GmbH

Karaoğlan Mahallesi Küme Evleri No: 745 Gölbaşı / ANKARA, TÜRKİYE Tel: +90 312 619 02 22 Fax: +90 312 619 02 25

REG. NO: KEMENKES RI AKL.....

PT MEGAH ALKESINDO

Jl. Rawa Bambu Raya No. 15 F-H

Pasar Minggu Jakarta Selatan 12520 Indonesia

Phone: +62 21 788 77990 (Hunting) Fax: +62 21 788 47144

 ${\sf Email:info@megahalkesindo.com}\ \ {\sf Website:www.megahalkesindo.com}$